Not Generally Recommended Vaccines for Pet Cats

FIP	Administration Instructions	Clinically Relevant Comments for Administration
Intranasal Attenuated live	For frequency and interval, follow label instructions	 Not generally recommended at this time because its uncertain ability to uniformly prevent disease in North American cat populations does not justify its routine use Only coronavirus seronegative cats have the potential to be protected, and most cats are seropositive before the age of recommended vaccination Vaccine virus (serotype II) differs from the serotype (I) that predominantly causes clinical disease The benefits and risks of vaccination remain unclear (see comments in text)

The 2020 AAHA/AAFP Feline Vaccination Guidelines are available at aaha.org/felinevaccination.

These guidelines were prepared by a task force of experts convened by the American Animal Hospital Association (AAHA) and the American Association of Feline Practitioners (AAFP). This document is intended as a guideline only, not an AAHA or AAFP standard of care. These guidelines and recommendations should not be construed as dictating an exclusive protocol, course of treatment, or procedure. Variations in practice may be warranted based on the needs of the individual patient, resources, and limitations unique to each individual practice setting. Evidence-based support for specific recommendations as been cited whenever neesible and appropriate. Other recommendations are accurated a concessue of a



recommendations has been cited whenever possible and appropriate. Other recommendations are based on practical clinical experience and a consensus of expert opinion. Further research is needed to document some of these recommendations. Because each case is different, veterinarians must base their decisions on the best available scientific evidence in conjunction with their own knowledge and experience.