Characteristics of Selected Disinfectants

This table provides general information for each disinfectant chemical classes.

Antimicrobial activity may vary with formulation and concentration.

Always read and follow the product label for proper preparation and application directions.

				Oxidizing Agents				Quaternary
Disinfectant Category	Alcohols	Alkalis	Aldehydes	Halogens: Chlorine	Halogens: lodine	Peroxygen Compounds	Phenols	Ammonium Compounds
Common Active Ingredients	•ethanol •isopropanol	•calcium hydroxide •sodium carbonate •calcium oxide	•formaldehyde •glutaraldehyde •ortho-phthalaldehyde	•sodium hypochlorite (bleach) •calcium hypochlorite •chlorine dioxide	•providone-iodine	•hydrogen peroxide/ accelerated HP •peracetic acid •potassium peroxymonosulfate	•ortho-phenylphenol •orthobenzylpara- chlorophenol	benzalkonium chloride alkyldimethyl ammonium chloride
Sample Trade Names*			Synergize®	Clorox®, Wysiwash®		Rescue®, Oxy-Sept 333®, Virkon-S®	One-Stroke Environ®, Pheno-Tek II®, Tek-Trol®, Lysol®	Roccal-D®, DiQuat®, D-256®
Mechanism of Action	Precipitates proteins; denatures lipids	Alters pH through hydroxyl ions; fat saponification	Denatures proteins; alkylates nucleic acids	Denatures proteins	Denatures proteins	Denature proteins and lipids	Denatures proteins; disrupts cell wall	Denatures proteins; binds phospholipids of cell membrane
Characteristics	Fast acting Rapid evaporation Leaves no residue Can swell or harden rubber and plastics	Slow acting Affected by pH Best at high temps Corrosive to metals Severe skin burns; mucous membrane irritation Environmental hazard	Slow acting Affected by pH and temperature Irritation of skin/ mucous membrane Only use in well ventilated areas Pungent odor Noncorrosive	Fast acting Affected by pH Frequent application Inactivated by UV radiation Corrodes metals, rubber, fabrics, Mucous membrane irritation	Stable in storage Affected by pH Requires frequent application Corrosive Stains clothes and treated surfaces	 Fast acting May damage some metals (e.g., lead, copper, brass, zinc) Powdered form may cause mucous membrane irritation Low toxicity at lower concentrations Environmentally friendly 	Can leave residual film on surfaces Can damage rubber, plastic; non-corrosive Stable in storage Irritation to skin and eyes	Stable in storage Best at neutral or alkaline pH Effective at high temps High concentrations corrosive to metals Irritation to skin, eyes, and respiratory tract
Precautions	Flammable	Very caustic	Carcinogenic	Toxic gas released if mixed with strong acids or ammonia			May be toxic to animals, especially cats and pigs	
Bactericidal	+	+	+	+	+	+	+	+
Virucidal	± a	+	±	+	+	+	+	+ Enveloped
Fungicidal	+	+	+	+	+	±	+	+
Tuberculocidal	+	±	+	+	+	±	+	_
Sporicidal	_	+	+	+	±	+	_	+
Factors Affecting Effectiveness	Inactivated by organic matter	Variable	Inactivated by organic matter, hard water, soaps and detergents	Rapidly inactivated by organic matter	Rapidly inactivated by organic matter	Effective in presence of organic matter, hard water, soaps, and detergents	Effective in presence of organic matter, hard water, soaps,and detergents	Inactivated by organic matter, hard water, soaps and anionic detergents

 $[\]pm$ = effective; \pm = variable or limited activity; - = not effective

*Disclaimer: The use of trade names serves only as examples and does not in any way signify endorsement of a particular product.



a - slow acting against nonenveloped viruses (e.g., norovirus)